From: Ron Dragoo
Sent time: 04/24/2019 03:26:22 PM
To: So Kim
Cc: Jill Martin <jmartin@trumpnational.com>; Selim <Selim@sawayaeng.com>
Subject: RE: Water Quality Report

So,

John Hunter's office is looking at this and approvals will come through their office. In regards to improvements placed in the public right of way, I have seen the initial street improvement plans which proposes installation of CBS units in the catch basins, these are acceptable to PW. I am meeting with John Hunters group this week to review the SUSMP and SWPPP issues.

Ron Dragoo, PE
City Engineer

From: So Kim
Sent: Wednesday, April 24, 2019 1:57 PM
To: Selim (Selim@sawayaeng.com) <Selim@sawayaeng.com>
Cc: Jill Martin <jmartin@trumpnational.com>; Ron Dragoo <RonD@rpvca.gov>
Subject: Water Quality Report

Hi Selim,
At our April 9th mtg, you indicated that Coastal Commission needs the City's ok on the Water Quality Report. Would you mind emailing it over to me again? Ron, do I remember correctly in that you reviewed this and it's acceptable?

Sincerely,
So Kim, AICP
Deputy Director/Planning Manager
Community Development Department
City of Rancho Palos Verdes
www.rpvca.gov
(310) 544-5222